

FACILITY NAME AND PERMIT NUMBER:

Woodbridge Mobile Home Park STP VA0027855


Form Approved 1/14/99
OMB Number 2040-0086

BASIC APPLICATION INFORMATION

PART A. BASIC APPLICATION INFORMATION FOR ALL APPLICANTS:

All treatment works must complete questions A.1 through A.8 of this Basic Application Information packet.

A.1. Facility Information.

Facility name Woodbridge Mobile Home ParkMailing Address 49 SW Flagler Ave., Suite 201
Stuart, FL 34994Contact person Bradley DresslerTitle Owner President Woodbridge, Inc.Telephone number (772) 221-3500Facility Address 13145 Minneville Rd.
(not P.O. Box) Woodbridge, Va. 22192

A.2. Applicant Information. If the applicant is different from the above, provide the following:

Applicant name SameMailing Address SameContact person SameTitle Same

Telephone number _____

Is the applicant the owner or operator (or both) of the treatment works?



owner

☐ operator

Indicate whether correspondence regarding this permit should be directed to the facility or the applicant.



facility



applicant

A.3. Existing Environmental Permits. Provide the permit number of any existing environmental permits that have been issued to the treatment works (include state-issued permits).

NPDES VA0027855

PSD _____

UIC _____

Other _____

RCRA _____

Other _____

A.4. Collection System Information. Provide information on municipalities and areas served by the facility. Provide the name and population of each entity and, if known, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, private, etc.).

Name

Population Served

Type of Collection System

Ownership

Woodbridge MHP225SeparatePrivate

Total population served 225

FACILITY NAME AND PERMIT NUMBER:

Woolbridge Mobile Home Park STP VA0027855

Form Approved 1/14/99
OMB Number 2040-0086

A.5. Indian Country.

- a. Is the treatment works located in Indian Country?

☐ Yes ☒ No

- b. Does the treatment works discharge to a receiving water that is either in Indian Country or that is upstream from (and eventually flows through) Indian Country?

☐ Yes ☒ No

A.6. Flow. Indicate the design flow rate of the treatment plant (i.e., the wastewater flow rate that the plant was built to handle). Also provide the average daily flow rate and maximum daily flow rate for each of the last three years. Each year's data must be based on a 12-month time period with the 12th month of "this year" occurring no more than three months prior to this application submittal.

- a. Design flow rate
- 0.0198
- mgd

	Two Years Ago	Last Year	This Year
b. Annual average daily flow rate	<u>.0015</u>	<u>.0017</u>	<u>.0014</u> mgd
c. Maximum daily flow rate	<u>.0118</u>	<u>.0190</u>	<u>.0076</u> mgd

A.7. Collection System. Indicate the type(s) of collection system(s) used by the treatment plant. Check all that apply. Also estimate the percent contribution (by miles) of each.

☒ Separate sanitary sewer 100 %

☐ Combined storm and sanitary sewer _____ %

A.8. Discharges and Other Disposal Methods.

- a. Does the treatment works discharge effluent to waters of the U.S.?
- ☒
- Yes
- ☐
- No

If yes, list how many of each of the following types of discharge points the treatment works uses:

i. Discharges of treated effluent 1

ii. Discharges of untreated or partially treated effluent 0

iii. Combined sewer overflow points 0

iv. Constructed emergency overflows (prior to the headworks) 0

v. Other _____ 0

- b. Does the treatment works discharge effluent to basins, ponds, or other surface impoundments that do not have outlets for discharge to waters of the U.S.?
- ☐
- Yes
- ☒
- No

If yes, provide the following for each surface impoundment:

Location: _____

Annual average daily volume discharged to surface impoundment(s) _____ mgd

Is discharge _____ continuous or _____ intermittent?

- c. Does the treatment works land-apply treated wastewater?
- ☐
- Yes
- ☒
- No

If yes, provide the following for each land application site:

Location: _____

Number of acres: _____

Annual average daily volume applied to site: _____ Mgd

Is land application _____ continuous or _____ intermittent?

- d. Does the treatment works discharge or transport treated or untreated wastewater to another treatment works?
- ☐
- Yes
- ☒
- No

FACILITY NAME AND PERMIT NUMBER:

Woobridge Mobile Home Park STP VA0027855

Form Approved 1/14/99
OMB Number 2040-0086

If yes, describe the mean(s) by which the wastewater from the treatment works is discharged or transported to the other treatment works (e.g., tank truck, pipe).

If transport is by a party other than the applicant, provide:

Transporter name: _____

Mailing Address: _____

Contact person: _____

Title: _____

Telephone number: _____

For each treatment works that receives this discharge, provide the following:

Name: _____

Mailing Address: _____

Contact person: _____

Title: _____

Telephone number: _____

If known, provide the NPDES permit number of the treatment works that receives this discharge. _____

Provide the average daily flow rate from the treatment works into the receiving facility. _____

mgd

- e. Does the treatment works discharge or dispose of its wastewater in a manner not included in A.8.a through A.8.d above (e.g., underground percolation, well injection)?

_____ Yes

_____ ☒ No

If yes, provide the following for each disposal method:

Description of method (including location and size of site(s) if applicable):

Annual daily volume disposed of by this method: _____

Is disposal through this method _____ continuous or _____ intermittent?

FACILITY NAME AND PERMIT NUMBER:

Wooledge Mobile Home Park STP VA0027855

Form Approved 1/14/99
OMB Number 2040-0086

WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

A.9. Description of Outfall.

- a. Outfall number 001
- b. Location Woodbridge 22192
(City or town, if applicable) (Zip Code)
Prince William Virginia
(County) (State)
38 39 43 N 77 17 18 W
(Latitude) (Longitude)
- c. Distance from shore (if applicable) _____ ft.
- d. Depth below surface (if applicable) _____ ft.
- e. Average daily flow rate .0014 mgd
- f. Does this outfall have either an intermittent or a periodic discharge? _____ Yes ☒ No (go to A.9.g.)
- If yes, provide the following information:
- Number of times per year discharge occurs: _____
- Average duration of each discharge: _____
- Average flow per discharge: _____ mgd
- Months in which discharge occurs: _____
- g. Is outfall equipped with a diffuser? _____ Yes ☒ No

A.10. Description of Receiving Waters.

- a. Name of receiving water Marumsco Creek, UT
- b. Name of watershed (if known) Potomac River
- United States Soil Conservation Service 14-digit watershed code (if known): _____
- c. Name of State Management/River Basin (if known): _____
- United States Geological Survey 8-digit hydrologic cataloging unit code (if known): _____
- d. Critical low flow of receiving stream (if applicable):
acute _____ cfs chronic _____ cfs
- e. Total hardness of receiving stream at critical low flow (if applicable): _____ mg/l of CaCO₃

FACILITY NAME AND PERMIT NUMBER:

Woolbridge Mobile Home Park STP VA0027855

Form Approved 1/14/99
OMB Number 2040-0086

A.11. Description of Treatment.

- a. What levels of treatment are provided? Check all that apply.

☐ Primary
 ☒ Secondary
☐ Advanced
 ☐ Other. Describe: _____

- b. Indicate the following removal rates (as applicable):

Design BOD₅ removal or Design CBOD₅ removal 90 %
 Design SS removal 90 %
 Design P removal 90 %
 Design N removal 90 %
 Other _____ %

- c. What type of disinfection is used for the effluent from this outfall? If disinfection varies by season, please describe.

Ultraviolet Light

If disinfection is by chlorination, is dechlorination used for this outfall?

☐ Yes ☐ No

- d. Does the treatment plant have post aeration?

☒ Yes ☐ No

A.12. Effluent Testing Information. All Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three samples and must be no more than four and one-half years apart.

Outfall number: 001

PARAMETER	MAXIMUM DAILY VALUE		AVERAGE DAILY VALUE		
	Value	Units	Value	Units	Number of Samples
pH (Minimum)	6.2	s.u.			
pH (Maximum)	7.7	s.u.			
Flow Rate	.0076	MGD	.0014	MGD	365
Temperature (Winter)	12	C	10	C	365
Temperature (Summer)	27	C	24	C	365

* For pH please report a minimum and a maximum daily value

POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE			ANALYTICAL METHOD	ML / MDL
	Conc.	Units	Conc.	Units	Number of Samples		

CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS.

BIOCHEMICAL OXYGEN DEMAND (Report one)	BOD-5						
	CBOD-5	7	mg/l	2.3	mg/l	12	SM5210-B
FECAL COLIFORM		89	N/CML	13.2	N/CML	24	SM9221-CE
TOTAL SUSPENDED SOLIDS (TSS)		8.7	mg/l	3.2	mg/l	12	SM2540-D

END OF PART A.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:

Woolbridge Mobile Home Park STP VA0027855

Form Approved 1/14/99
OMB Number 2040-0086

BASIC APPLICATION INFORMATION

PART B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).

All applicants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).

B.1. Inflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration.
_____ gpd

Briefly explain any steps underway or planned to minimize inflow and infiltration.

B.2. Topographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.)

- The area surrounding the treatment plant, including all unit processes.
- The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
- Each well where wastewater from the treatment plant is injected underground.
- Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
- Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
- If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.

B.3. Process Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g., chlorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram.

B.4. Operation/Maintenance Performed by Contractor(s).

Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a contractor? ☒ Yes ☐ No

If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary).

Name: Dabney & Crooks, Inc.

Mailing Address: P.O. Box 7783 Fredericksburg, Va. 22404

Telephone Number: (540) 373-0380

Responsibilities of Contractor: Facility operation, maintenance and sampling

B.5. Scheduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for each. (If none, go to question B.6.)

- a. List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.

- b. Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.

☐ Yes ☐ No

FACILITY NAME AND PERMIT NUMBER:

Woolbridge Mobile Home Park STP VA0027855

Form Approved 1/14/99
OMB Number 2040-0086

- c If the answer to B.5.b is "Yes," briefly describe, including new maximum daily inflow rate (if applicable).

- d. Provide dates imposed by any compliance schedule or any actual dates of completion for the implementation steps listed below, as applicable. For improvements planned independently of local, State, or Federal agencies, indicate planned or actual completion dates, as applicable. Indicate dates as accurately as possible.

Implementation Stage	Schedule MM / DD / YYYY	Actual Completion MM / DD / YYYY
- Begin construction	___/___/___	___/___/___
- End construction	___/___/___	___/___/___
- Begin discharge	___/___/___	___/___/___
- Attain operational level	___/___/___	___/___/___

- e. Have appropriate permits/clearances concerning other Federal/State requirements been obtained? ____Yes ____No

Describe briefly: _____

B.6. EFFLUENT TESTING DATA (GREATER THAN 0.1 MGD ONLY).

Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall Number: _____

POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE			ANALYTICAL METHOD	ML / MDL
	Conc.	Units	Conc.	Units	Number of Samples		
CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS.							
AMMONIA (as N)							
CHLORINE (TOTAL RESIDUAL, TRC)							
DISSOLVED OXYGEN							
TOTAL KJELDAHL NITROGEN (TKN)							
NITRATE PLUS NITRITE NITROGEN							
OIL and GREASE							
PHOSPHORUS (Total)							
TOTAL DISSOLVED SOLIDS (TDS)							
OTHER							

END OF PART B.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:

Wooledge Mobile Home Park STP VA0027855

Form Approved 1/14/99
OMB Number 2040-0086**BASIC APPLICATION INFORMATION****PART C. CERTIFICATION**

All applicants must complete the Certification Section. Refer to instructions to determine who is an officer for the purposes of this certification. All applicants must complete all applicable sections of Form 2A, as explained in the Application Overview. Indicate below which parts of Form 2A you have completed and are submitting. By signing this certification statement, applicants confirm that they have reviewed Form 2A and have completed all sections that apply to the facility for which this application is submitted.

Indicate which parts of Form 2A you have completed and are submitting:☒ Basic Application Information packet

Supplemental Application Information packet:

☐ Part D (Expanded Effluent Testing Data)☐ Part E (Toxicity Testing: Biomonitoring Data)☐ Part F (Industrial User Discharges and RCRA/CERCLA Wastes)☐ Part G (Combined Sewer Systems)**ALL APPLICANTS MUST COMPLETE THE FOLLOWING CERTIFICATION.**

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title Bradley Dressler, PresidentSignature Telephone number (772) 221-3500Date signed 7/10/12

Upon request of the permitting authority, you must submit any other information necessary to assess wastewater treatment practices at the treatment works or identify appropriate permitting requirements.

SEND COMPLETED FORMS TO:

VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM

SCREENING INFORMATION

This application is divided into four sections. Section A pertains to all applicants. The applicability of Sections B, C and D depends on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

1. All applicants must complete Section A (General Information).

2. Does this facility generate sewage sludge? ☒ Yes ☐ No

Does this facility derive a material from sewage sludge? ☐ Yes ☒ No

If you answered "Yes" to either, complete Section B (Generation Of Sewage Sludge or Preparation Of A Material Derived From Sewage Sludge).

3. Does this facility apply sewage sludge to the land? ☐ Yes ☒ No

Is sewage sludge from this facility applied to the land? ☐ Yes ☒ No

If you answer "No" to all above, skip Section C.

If you answered "Yes" to either, answer the following three questions:

a. Does the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions?
☐ Yes ☐ No

b. Is sewage sludge from this facility placed in a bag or other container for sale or give-away for application to the land?
☐ Yes ☐ No

c. Is sewage sludge from this facility sent to another facility for treatment or blending? ☐ Yes ☐ No

If you answered "No" to all three, complete Section C (Land Application Of Bulk Sewage Sludge).

If you answered "Yes" to a, b or c, skip Section C.

4. Do you own or operate a surface disposal site? ☐ Yes ☒ No

If "Yes", complete Section D (Surface Disposal).

SECTION A. GENERAL INFORMATION*All applicants must complete this section.***1. Facility Information.**

- a. Facility name: Woodbridge Mobile Home Park
- b. Contact person: Bradley Dressler
Title: Owner
Phone: (772) 221-3500
- c. Mailing address:
Street or P.O. Box: 49 SW Flagler Ave., Suite 201
City or Town: Stuart State: Florida Zip: 34944
- d. Facility location:
Street or Route #: 13145 Minnieville Rd.
County: Prince William
City or Town: Woodbridge State: Virginia Zip: 22192
- e. Is this facility a Class I sludge management facility? ☐ Yes ☒ No
- f. Facility design flow rate: .0198 mgd
- g. Total population served: 225
- h. Indicate the type of facility:
☐ Publicly owned treatment works (POTW)
☒ Privately owned treatment works
☐ Federally owned treatment works
☐ Blending or treatment operation
☐ Surface disposal site
☐ Other (describe): _____

2. Applicant Information. If the applicant is different from the above, provide the following:

- a. Applicant name: _____
- b. Mailing address:
Street or P.O. Box: _____
City or Town: _____ State: _____ Zip: _____
- c. Contact person: _____
Title: _____
Phone: (_____) _____
- d. Is the applicant the owner or operator (or both) of this facility?
☒ owner ☐ operator
- e. Should correspondence regarding this permit be directed to the facility or the applicant?
☐ facility ☒ applicant

3. Permit Information.

- a. Facility's VPDES permit number (if applicable): VA0027855
- b. List on this form or an attachment, all other federal, state or local permits or construction approvals received or applied for that regulate this facility's sewage sludge management practices:
Permit Number: _____ Type of Permit: _____

4. **Indian Country.** Does any generation, treatment, storage, application to land or disposal of sewage sludge from this facility occur in Indian Country? Yes x No If "Yes", describe:
-
5. **Topographic Map.** Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility:
- Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed.
 - Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries.
6. **Line Drawing.** Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction. Screening-Activated Sludge Extended Aeration-Ultraviolet Light Disinfection-Post Aeration
7. **Contractor Information.** Are any operational or maintenance aspects of this facility related to sewage sludge generation, treatment, use or disposal the responsibility of a contractor? X Yes No
If "Yes", provide the following for each contractor (attach additional pages if necessary).
Name: Dabney & Crooks, Inc.
Mailing address:
Street or P.O. Box: P.O. Box 7783
City or Town: Fredericksburg State: Virginia Zip: 22404
Phone: (540) 373-0389
Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge:
VA0027855
If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s).
8. **Pollutant Concentrations.** Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old.

POLLUTANT	CONCENTRATION (mg/kg dry weight)	SAMPLE DATE	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
Arsenic	No Data Available			
Cadmium	No Data Available			
Chromium	No Data Available			
Copper	No Data Available			
Lead	No Data Available			
Mercury	No Data Available			
Molybdenum	No Data Available			
Nickel	No Data Available			
Selenium	No Data Available			
Zinc	No Data Available			

FACILITY NAME: Woodbridge Mobile Home Park

VPDES PERMIT NUMBER: VA0027855

9. **Certification.** Read and submit the following certification statement with this application. Refer to the instructions to determine who is an officer for purposes of this certification. Indicate which parts of the application you have completed and are submitting:

 X Section A (General Information)

 X Section B (Generation of Sewage Sludge or Preparation of a Material Derived from Sewage Sludge)

 Section C (Land Application of Bulk Sewage Sludge)

 Section D (Surface Disposal)

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Name and official title: Bradley Dressler, Owner *President*

Signature *[Signature]* *Part*

Date Signed 7/16/11

Telephone number (772) 221-3500

Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.

**SECTION B. GENERATION OF SEWAGE SLUDGE OR PREPARATION
OF A MATERIAL DERIVED FROM SEWAGE SLUDGE**

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

1. Amount Generated On Site.

Total dry metric tons per 365-day period generated at your facility: .01 dry metric tons

2. Amount Received from Off Site. If your facility receives sewage sludge from another facility for treatment, use or disposal, provide the following information for each facility from which sewage sludge is received. If you receive sewage sludge from more than one facility, attach additional pages as necessary.

a. Facility name:

b. Contact Person:

Title:

Phone:

c. Mailing address:

Street or P.O. Box:

City or Town: _____ State: _____

d. Facility location:

(not P.O. Box)

e. Total dry metric tons per 365-day period received from this facility: _____ dry metric tons

f. Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-site facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics:

3. Treatment Provided at Your Facility.

a. Which class of pathogen reduction is achieved for the sewage sludge at your facility?

_____ Class A _____ Class B _____X_____ Neither or unknown

b. Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce pathogens in sewage sludge: Aerated sludge storage

c. Which vector attraction reduction option is met for the sewage sludge at your facility?

_____ Option 1 (Minimum 38 percent reduction in volatile solids)

_____ Option 2 (Anaerobic process, with bench-scale demonstration)

_____ Option 3 (Aerobic process, with bench-scale demonstration)

_____ Option 4 (Specific oxygen uptake rate for aerobically digested sludge)

_____ Option 5 (Aerobic processes plus raised temperature)

_____ Option 6 (Raise pH to 12 and retain at 11.5)

_____ Option 7 (75 percent solids with no unstabilized solids)

_____ Option 8 (90 percent solids with unstabilized solids)

____X_____ None or unknown

d. Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce vector attraction properties of sewage sludge: Unaerated sludge storage

e. Describe, on this form or another sheet of paper, any other sewage sludge treatment activities, including blending, not identified in a - d above: _____

4. Preparation of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and One of Vector Attraction Reduction Options 1-8 (EQ Sludge).

(If sewage sludge from your facility does not meet all of these criteria, skip Question 4.)

- a. Total dry metric tons per 365-day period of sewage sludge subject to this section that is applied to the land:
_____ dry metric tons
- b. Is sewage sludge subject to this section placed in bags or other containers for sale or give-away?
_____ Yes _____ No

5. Sale or Give-Away in a Bag or Other Container for Application to the Land.

(Complete this question if you place sewage sludge in a bag or other container for sale or give-away prior to land application. Skip this question if sewage sludge is covered in Question 4.)

- a. Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility for sale or give-away for application to the land: _____ dry metric tons
- b. Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or given away in a bag or other container for application to the land.

6. Shipment Off Site for Treatment or Blending.

(Complete this question if sewage sludge from your facility is sent to another facility that provides treatment or blending. This question does not apply to sewage sludge sent directly to a land application or surface disposal site. Skip this question if the sewage sludge is covered in Questions 4 or 5. If you send sewage sludge to more than one facility, attach additional sheets as necessary.)

- a. Receiving facility name: Massaponax WWTF
- b. Facility contact: Doug Crooks
Title: Superintendent of WWTF
Phone: (540) 507-7362
- c. Mailing address:
Street or P.O. Box: 10900 HCC Drive
City or Town: Fredericksburg State: Virginia Zip: 22408
- d. Total dry metric tons per 365-day period of sewage sludge provided to receiving facility:
.01 dry metric tons
- e. List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal practices:
- | Permit Number: | Type of Permit: |
|------------------|-----------------|
| <u>VA0025658</u> | <u>VPDES</u> |
| _____ | _____ |
- f. Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your facility?
___X___ Yes _____ No
- Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility?
___X___ Class A _____ Class B _____ Neither or unknown
- Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce pathogens in sewage sludge: Static Pile Composting
- g. Does the receiving facility provide additional treatment to reduce vector attraction characteristics of the sewage sludge? ___X___ Yes _____ No
- Which vector attraction reduction option is met for the sewage sludge at the receiving facility?
- _____ Option 1 (Minimum 38 percent reduction in volatile solids)
- _____ Option 2 (Anaerobic process, with bench-scale demonstration)
- _____ Option 3 (Aerobic process, with bench-scale demonstration)
- _____ Option 4 (Specific oxygen uptake rate for aerobically digested sludge)
- ___X___ Option 5 (Aerobic processes plus raised temperature)
- _____ Option 6 (Raise pH to 12 and retain at 11.5)

FACILITY NAME: Woodbridge Mobile Home Park

VPDES PERMIT NUMBER: VA0027855

☐ Option 7 (75 percent solids with no unstabilized solids)

☐ Option 8 (90 percent solids with unstabilized solids)

☐ None unknown

Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce vector attraction properties of sewage sludge: _____

- h. Does the receiving facility provide any additional treatment or blending not identified in f or g above?

☐ Yes ☒ No

If "Yes", describe, on this form or another sheet of paper, the treatment processes not identified in f or g above: _____

- i. If you answered "Yes" to f, g or h above, attach a copy of any information you provide to the receiving facility to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G.

- j. Does the receiving facility place sewage sludge from your facility in a bag or other container for sale or give-away for application to the land? ☐ Yes ☒ No

If "Yes", provide a copy of all labels or notices that accompany the product being sold or given away.

- k. Will the sewage sludge be transported to the receiving facility in a truck-mounted watertight tank normally used for such purposes? ☒ Yes ☐ No. If "No", provide description and specification on the vehicle used to transport the sewage sludge to the receiving facility.

Show the haul route(s) on a location map or briefly describe the haul route below and indicate the days of the week and the times of the day sewage sludge will be transported. 95 South to Exit 126 Rt. 1 South, Rt. 1 South to Rt. 17 South, Rt. 17 South to Rts. 2 & 17 North, Rts. 2 & 17 North to left on HCC Drive

7. Land Application of Bulk Sewage Sludge.

(Complete Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge is covered in Questions 4, 5 or 6. Complete Question 7.b, c & d only if you are responsible for land application of sewage sludge.)

- a. Total dry metric tons per 365-day period of sewage sludge applied to all land application sites:

_____ dry metric tons

- b. Do you identify all land application sites in Section C of this application? ☐ Yes ☐ No

If "No", submit a copy of the Land Application Plan (LAP) with this application (LAP should be prepared in accordance with the instructions).

- c. Are any land application sites located in States other than Virginia? ☐ Yes ☐ No

If "Yes", describe, on this form or on another sheet of paper, how you notify the permitting authority for the States where the land application sites are located. Provide a copy of the notification.

- d. Attach a copy of any information you provide to the owner or lease holder of the land application sites to comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).

VPDES Permit Application Addendum

1. Entity to whom the permit is to be issued: Woodbridge Inc
Bradley Dressler - Owner President
Who will be legally responsible for the wastewater treatment facilities and compliance with the permit? This may or may not be the facility or property owner.

2. Is this facility located within city or town boundaries? Yes ☒ X

3. Provide the tax map parcel number for the land where the discharge is located. _____

4. For the facility to be covered by this permit, how many acres will be disturbed during the next five years due to new construction activities? None

5. What is the design average effluent flow of this facility? 0.0198 MGD

For industrial facilities, provide the max. 30-day average production level, include units:

In addition to the design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels? Yes ☐ No ☒ X

If "Yes", please identify the other flow tiers (in MGD) or production levels:

Please consider the following questions for both the flow tiers and the production levels (if applicable): Do you plan to expand operations during the next five years? Is your facility's design flow considerably greater than your current flow?

6. Nature of operations generating wastewater:

Mobile Home Park

10 % of flow from domestic

Number of private residences to be served by the treatment works: 75

 % of flow from non-domestic connections/sources

7. Mode of discharge: ☒ X Continuous ☐ Intermittent ☐ Seasonal

Describe frequency and duration of intermittent or seasonal discharges:

8. Identify the characteristics of the receiving stream at the point just above the facility's discharge point:

☒ X Permanent stream, never dry

☐ Intermittent stream, usually flowing, sometimes dry

☐ Ephemeral stream, wet-weather flow, often dry

☐ Effluent-dependent stream, usually or always dry without effluent flow

☐ Lake or pond at or below the discharge point

☐ Other: _____



9. Approval Date(s):

O & M Manual August 2007

Sludge/Solids Management Plan August 2007

Have there been any changes in your operations or procedures since the above approval dates? Yes ☐ No ☒ X